


Dimensions and pin description:




Notes:

1. Pad plating Ni: 1.27-8.89um Au: 0.3um min
2. Dimension shown in mm [inch] Tolerances $\pm 0.05\text{mm}$ [$\pm 0.002\text{inch}$]

| Pin Descriptions | | |
|------------------|----------|--|
| Pin Number | Function | Description |
| 4 | RF-IN | This pad is DC coupled and matched to 50 Ohms |
| 21 | RF-OUT | RF output for amplifier |
| 25,28,30 | VDD1,2,3 | Connect DC bias (Vdd) network to provide drain current (Idd) |
| 13,15 | VGG1 | Gate control for amplifier |
| 3,5,20,22 | GND | These pins & exposed ground paddle must be connected to RF/DC ground |
| 32 | VGG2 | Gate control for amplifier |
| Die Bottom | GND | Die bottom must be connected to RF/DC ground |



Recommended lead-free reflow temperature curve:



Miller MMIC Inc. All rights reserved

Miller MMIC, Inc. holds exclusive rights to the information presented in its Data Sheet and any accompanying materials. As a premier supplier of cutting-edge RF solutions, Miller MMIC has made this information easily accessible to its clients.

Although Miller MMIC believes the information provided in its Data Sheet to be trustworthy, the company does not offer any guarantees as to its accuracy. Therefore, Miller MMIC bears no responsibility for the use of this information. It is worth mentioning that the information within the Data Sheet may be altered without prior notification.

Customers are encouraged to obtain and verify the most recent and pertinent information before placing any orders for Miller MMIC products. The information in the Data Sheet does not confer, either explicitly or implicitly, any rights or licenses with regards to patents or other forms of intellectual property to any third party.

The information provided in the Data Sheet, or its utilization, does not bestow any patent rights, licenses, or other forms of intellectual property rights to any individual or entity, whether in regards to the information itself or anything described by such information. Furthermore, Miller MMIC products are not intended for use as critical components in applications where failure could result in severe injury or death, such as medical or life-saving equipment, or life-sustaining applications, or in any situation where failure could cause serious personal injury or death.